

DYMAX SPECIALIZED ATTACHMENTS



**MINING, QUARRY &
EARTHMOVING**
FOR TRACK AND WHEEL DOZERS

- U-BLADES
- SEMI-U BLADES
- BOWLDOZERS
- STRAIGHT BLADES
- PUSH BLOCKS
- CUSHION DOZERS

1-800-530-5407 / 785-456-2081

www.DYMAXINC.com



DYMAX DOZER PRODUCT GUIDE

PIONEERS OF EARTHMOVING ATTACHMENTS FOR DOZERS



COAL U-BLADE

- Better built by design
- 30 degree wing angles
- Replaceable OEM pattern cutting edges

“YOU DON’T EAT PEAS WITH A KNIFE” W.E. BALDERSON / S.E. BALDERSON

COAL U-BLADE - TRACK AND WHEEL DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
Cat 834	DX-BL-CL-29.00x20ft3-WD-30	No	29.00	8,100
Tiger 690	DX-BL-CL-50.80x21ft11-WD-50	No	50.80	11,100
Cat 854	DX-BL-CL-65.00x23ft-WD-60	No	65.00	20,500
210-235	DX-BL-CL-12.50x14ft-TD-10	No	12.50	4,650
	DX-BL-CL-12.50x14ft-TD-10LGP	No	12.50	4,650
250-275	DX-BL-CL-22.00x16ft-TD-20	No	22.00	5,850
	DX-BL-CL-22.00x16ft-TD-20LGP	No	22.00	5,850
340-375	DX-BL-CL-28.80x18ft-TD-30	No	28.80	8,400
425-475	DX-BL-CL-40.00x19ft-TD-40	Optional	40.00	9,900
	DX-BL-CL-48.00x19ft-TD-40	Optional	48.00	10,500
590-650	DX-BL-CL-60.00x20ft-TD-50	Optional	60.00	14,000
	DX-BL-CL-68.00x21ft-TD-50	Optional	68.00	14,800
800-900	DX-BL-CL-90.00x24ft-TD-60	Optional	90.00	24,000
	DX-BL-CL-98.00x24ft6-TD-60	Optional	98.00	25,500

Design and specifications are subject to change without notice.
Please contact Dymax for custom solutions 1-800-530-5407.



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

DYMAX DOZER PRODUCT GUIDE

TOP-NOTCH DOZER BLADES SINCE THE 1940S

RECLAMATION U-BLADE - TRACK DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
340-375	DX-BL-RC-22.00X16ft-TD-30	Optional	22.00	8,600
425-475	DX-BL-RC-23.1x16ft6-TD-40 DX-BL-RCTX-22.6x15ft3-TD-40	Optional Yes	23.10 22.62	9,200 10,800
590-650	DX-BL-RC-40.00x19ft-TD-50 DX-BL-RCTX-31.6x17ft5-TD-50	Optional Yes	40.00 31.61	14,800 15,780
800-900	DX-BL-RC-60.0x21ft10-TD-60 DX-BL-RC-66.00x22ft-TD-60 DX-BL-RC-68.00x24ft-TD-60 DX-BL-RC-70.0x23ft10-TD-60	Optional packages contact Dymax	60.00 66.00 68.00 70.00	26,800 27,500 28,500 30,000
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

ABRASION U-BLADE - TRACK DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
210-235	DX-BL-HDU-8.75x11ft4-TD-10	Optional	8.75	4,250
250-275	DX-BL-HDU-12.00x13ft-TD-20	Optional	12.00	4,950
340-375	DX-BL-HDU-15.9x14ft6-TD-30	Yes	15.90	9,400
425-475	DX-BL-HDU-22.50x16ft-TD-40	Yes	22.50	12,500
590-650	DX-BL-HDU-28.8x17ft5-TD-50	Yes	28.80	16,000
800-900	DX-BL-HDU-45.0x20ft4-TD-60	Yes	45.00	29,600
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

VARIABLE RADIUS SEMI-U - LGP TRACK DOZER



Conical shape creates live rolling action and increases fuel efficiencies.

Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
210-235	DX-BL-SUVR-9.00x14ft-TD-10LGP	No	9.00	3,400
250-275	DX-BL-SUVR-10.2X14FT8-TD-20LGP	No	10.20	4,650
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

"We bought 2 variable radius blades from Dymax in 2002 & 2007 and are still operating them in 2023. They build tough blades."

- C. Karlsson - Sweden

LEGENDARY BLADE GURUS



DYMAX DOZER PRODUCT GUIDE

PIONEERS OF EARTHMOVING ATTACHMENTS FOR DOZERS

SEMI-U BLADE - WHEEL DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
Cat 824	DX-BL-SU-9.0x15ft9-WD-20	Option	9.00	6,600
Cat 834	DX-BL-SU-13.2x15ft5-WD-30	No	13.2	8,100
	DX-BL-SUHD-13.2x15ft5-WD-30	Yes	13.2	9,800
Cat 844	DX-BL-SU-20.9x17ft9-WD-40	No	20.90	11,100
	DX-BL-SU-24.9x20ft5-WD-40	Yes	24.20	13,000
Cat 854	DX-BL-SU-33.1x20ft7-WD-60	No	33.1	20,900
	DX-BL-SUHD-33.1x20ft7-WD-60	Yes	33.1	25,000
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

SEMI-U BLADE - TRACK DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
210-235	DX-BL-SU-7.50x11ft-TD-10	Option	7.50	3,100
	DX-BL-SU-9.00x13ft9-TD-10LGP	Option	9.00	3,500
250-275	DX-BL-SU-9.70x11ft8-TD-20	Option	9.70	4,000
	DX-BL-SU-10.0x14ft8-TD-20LGP	Option	10.00	4,650
340-375	DX-BL-SU-12.0x13ft1-TD-30	Option	12.00	6,400
	DX-BL-SU-13.50x15ft-TD-30LGP	Option	13.50	6,980
425-475	DX-BL-SU-17.9x14ft6-TD-40	Option	17.9	8,870
590-650	DX-BL-SUHD-24.20x16ft-TD-50	Yes	24.20	15,700
800-900	DX-BL-SUHD-35.5x18ft8-TD-60	Yes	35.5	25,000
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

STRAIGHT BLADE - WHEEL DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
Cat 824	DX-BL-ST-6.0x14ft7-WD-20	Option	6.00	5,180
Cat 834	DX-BL-ST-10.3x15ft6-WD-30	No	10.30	8,000
Cat 834	DX-BL-STHD-10.3x15ft6-WD-30	Yes	10.30	10,830
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				



DYMAX DOZER PRODUCT GUIDE

TOP-NOTCH DOZER BLADES SINCE THE 1940S

WOODCHIP BOWLDOZER - TRACK AND WHEEL DOZER



Tractor or Horsepower	Model Code	Capacity (yd ³)	Weight (lbs)
Cat 824	DX-BL-BDWC-36.6x15ft4-WD-20	36.6	11,500
340-375	DX-BL-BDWC-42.8x18ft6-TD-30	42.8	13,700
	DX-BL-BDWC-52.0x18ft6-TD-30	52.0	15,000
425-475	DX-BL-BDWC-80.0x22ft9-TD-40	80.00	15,110
Design and specifications are subject to change without notice. For custom solutions contact Dymax Sales 1-800-530-5407.			

COAL BOWLDOZER - TRACK AND WHEEL DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
Cat 834	DX-BL-BDCL-26.3X15ft5-WD-30	Option	26.30	12,980
425-475	DX-BL-BDCL-37.00x19ft-TD-40	Option	37.00	13,500
	DX-BL-BDCL-39.00x18ft-TD-40	Option	39.00	13,800
590-650	DX-BL-BDCL-48.7x19ft8-TD-50	Option	48.70	19,800
Design and specifications are subject to change without notice. Please contact Dymax regarding Coal Bowldozers for Cat 824/844 machines.				


“STILL BUILT LIKE GRANDPA TAUGHT US”
A Balderson family tradition since 1930



DYMAX DOZER PRODUCT GUIDE

PIONEERS OF EARTHMOVING ATTACHMENTS FOR DOZERS

CUSHION DOZER & PUSH BLOCKS - TRACK DOZER



DX-BL-CUSH - CUSHION BLADE

Tractor or Horsepower	Model Code	Weight (lbs)
340-375	DX-BL-CUSH-OMOUNT-TD-30 with arms DX-BL-CUSH-D8_OMNT-TD-30 blade only	12,500 9,620
425-475	DX-BL-CUSH-OMOUNT-TD-40 with arms DX-BL-CUSH-D9_OMNT-TD-40 blade only	15,550 12,400
250-275	DX-PBF-BO-CUSH-TD-20 blade mount DX-PBR-BO-CUSH-TD-20 rear mount	3,900 4,810
340-375	DX-PBF-BO-CUSH-TD-30 blade mount DX-PBR-BO-CUSH-TD-30 rear mount	4,650 6,904
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.		




DX-BL-PBF CUSHION BLOCK-BLADE MOUNT



DX-BL-PBR CUSHION BLOCK-REAR MOUNT

CUSTOM EXTRA WIDE U-BLADES - FOR WET SLURRY CONDITIONS

INCREASE YOUR MACHINE'S PRODUCTIVITY WITH JOB-MATCHED DYMAX BLADES



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

DYMAX DOZER PRODUCT GUIDE

TOP-NOTCH DOZER BLADES SINCE THE 1940S

LANDFILL U-BLADES



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
210-235	DX-BL-LF-16.50x13ft-TD-10	Option	16.50	3,950
	DX-BL-LF-16.50x14ft-TD-10LGP	Option	16.50	4,100
250-275	DX-BL-LF-24.00x14ft-TD-20	Option	24.00	5,650
	DX-BL-LF-24.0x14ft8-TD-20LGP	Option	24.00	6,000
340-375	DX-BL-LF-30.0x16ft1-TD-30	Option	30.00	7,400
425-475	DX-BL-LF-50.30x18ft-TD-40	Option	50.30	10,800
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

SPECIALIZED SOLUTIONS - TRACK DOZER

CAT 834 / CAT D10 PUSH ARMS



ROCK AND ROOT RAKES



CAT D6, D7, D8 SLOPE BOARDS



OILFIELD STRAIGHT BLADE - INSIDE MOUNTED



THE BALDERSON FAMILY LEGACY

More than a Century of Commitment

What's in a name? Sometimes not much. Often everything. Dymax was born amidst the values and beliefs of the Balderson family. It's a name that has long stood for quality, integrity and service.

We've been working with iron and steel for more than 135 years. In the early days it was as simple as repairing wagons, shodding horses and performing basic blacksmithing tasks in and around the small community of Wamego, Kansas. As time evolved, so did machines and so did we. Yet one thing remained the same – our family tradition of providing the highest quality, best engineered solutions to meet customers' needs. We stand behind what we build and always drive toward building it even better. The world has changed since Seth Balderson opened his blacksmith shop in 1875, yet our family creed remains intact:

WE TREAT EVERY CUSTOMER AS IF THEY WERE OUR ONLY CUSTOMER!



WWW.DYMAXINC.COM

402 MILLER DRIVE | PO BOX 297 | WAMEGO, KS | 66547 | USA
US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | FAX: 1-785-456-8328