



BALDERSON'S
SHOP



DYMAX
ATTACHMENTS

4

Generations Strong

From great-grandpa Balderson's first snow plow that opened roads for America's growing infrastructure, to today's DymaxRail solutions that keep America on track, the Balderson family has maintained that same innovation, that spirit and that tenacity that has driven them for four generations.

Build it hell for stout and stand behind what you build. -Neil Balderson

www.DYMAXINC.com

It's a family thing . . .

In 1930, my great-grandfather Neil Balderson started a business focused on snow plow blades for crawler dozers. I'm not exaggerating when I say those blades were built tough. Guys were still running them 30, 40, 50 years later.

A Caterpillar dealer in Topeka recognized the Balderson snow plow as an approved product, and sales began to Caterpillar dealers across the country.

We didn't stop at snow blades. Willard (my grandfather) and Clark (my dad) would go on to build one of the largest attachment suppliers in the world, designing buckets, dozer blades and other custom products that simplify the way work gets done. Our unique capabilities led Caterpillar to purchase Balderson Inc.

But Clark and I weren't ready to give up the family tradition. We saw an opportunity to serve many more customers and industries.

That's when Dymax was born.

We now have over 100+ products that can be custom-fit to the application and machine, whether it's Cat, John Deere, Volvo, Komatsu or other brands. All of these products came from listening to and collaborating with the customer in order to make the machine more efficient.

And we're just getting started. We have innovations up our sleeve that you haven't even dreamed about yet.


Four generations. Four different visions. One strong purpose: *shaping steel to change the way our customers shape themselves.*



Scott Balderson, President / CEO



Forestry



Quarry



Material Handling



Industrial Ag



Waste Handling



Railway



Earthmoving




Custom Design



GET-ATTACHED TO DURABILITY BY DEMANDING DYMAX

You won't find cookie cutter attachments at Dymax. Drawing on nearly a century of experience, we engineer each attachment for the application and machine, boosting your power, productivity and performance.



"I sell almost exclusively Dymax products. **Support** after the sale is why. Always had good luck with Dymax."

– T. McNitt, Nebraska

"Our Dymax Pushout Bucket gives us more control over how much ration comes out. **Better tools for the job** = happier employees. Happier employees = happier cows. Everyone is happy."

– W. Derting, Washington



Blades & Snow Plows



Buckets



Quick Couplers & Forks

DOZER / LOADER / EXCAVATOR / TELEHANDLER / BACKHOE



"We bought 2 variable radius blades from Dymax in 2002 & 2007 and are still operating them in 2023. **They build tough blades.**"

– C. Karlsson, Sweden

"We've had Dymax tree shears for more than 15 years. **It's a fine piece of equipment** because of its durability and capabilities. Labor saving. Brings safety to our operation."

– J. King, Iowa



Rakes



Grapples



VortexMax Brushcutter




HPX Tree Shears

TRANSFORMING RAILWAY MAINTENANCE


DymaxRail delivers solutions that make it simpler, faster and more cost-effective to maintain and stabilize railroad track infrastructure. We do it by transforming ordinary construction equipment into versatile road-rail assets.



Tie Handler



Series 14 Tamper



Ballast Blaster

BALLAST MAINTENANCE

MATERIAL HANDLING

RAILCAR MOVING



Undercutters



Ballast Tamper



Tie Inserters



Railcar Quick Couplers

WHERE INNOVATION IS BUILT FOR THE LONG HAUL

2009 2 US Patents awarded for Ballast Blaster Undercutter.

2015 The 90T Lowbed, North America's largest road-rail equipment mover, helps specialized bridge builders deliver larger machines to remote worksites.

2017 DymaxRail develops RailTrax, the first road-rail powered flatcar with crane.

2019 United Launch Alliance rockets blast into space using Dymax Industrial Rail Carts.



Lowbed Equipment Mover

EQUIPMENT MOBILIZATION

HI-RAIL ATTACHMENT SYSTEMS



MPX Hydrostatic Drive Carts



Machinery Carts



Hi-Rail Track Excavator



DYMAX


Load, Haul, Doze, Move, Cut, Maintain.

402 MILLER DRIVE | PO BOX 297 | WAMEGO, KS | 66547 | USA
US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | FAX: 1-785-456-8328
www.DYMAXINC.com | www.DYMAXRAIL.com

RAILWAY TRACK CONSTRUCTION & MAINTENANCE SOLUTIONS

HI-RAIL / ATTACHMENTS / VEHICLES

**KNOW NO
BOUNDARIES**



1-800-530-5407 / 785-456-2081 www.DYMAXRAIL.com



RAIL RIDER ATTACHMENTS



The **Dymax Rail Rider** is the true definition of hi-rail simplified. Now available for backhoe loaders, wheel excavators and crawler excavators in on rail guidance and hydrostatic configurations.

- **Rail Rider G-BL & S-BL** - On rail guide driven by the rubber tires, available for backhoe loaders.
- **Rail Rider G-WX** - On rail guide driven by the rubber tires for wheel excavators.
- **Rail Rider H-X1 & H-W1** - Hydrostatic detachable railgear for wheel and track excavators.

The Dymax Rail Rider was created in 2011 to provide a cost effective and simple approach to moving backhoe loaders on rail. It was the first attachment solution for riding the rails that required no major machine modifications and allowed our customers to reach new destinations.

RAIL RIDER **H**-X1 FOR TRACK EXCAVATORS



- **DETACHABLE**
- **NON MODIFIED**
- **HYDROSTATIC DRIVE**
- **STRONGER DURABILITY**
- **INCREASED STABILITY**





GET-ATTACHED TO RIDE THE RAILS

RAIL RIDER **G-BL**

FOR BACKHOE LOADER



STANDARD

- Detachable dolly + loader bucket railgear


OPTIONS

- Non weld interface
- Coupler mounted railgear
- Insulated wheels



RAIL RIDER **S-BL**

FOR BACKHOE LOADER



STANDARD

- Stabilizer mounted railgear

OPTIONS

- Rail clamps
- Front coupler or loader bucket mounted railgear solutions.



DYMAXRAIL PRODUCT GUIDE



HI-RAIL SYSTEMS FOR WHEEL EXCAVATORS

RAIL RIDER **H** -W1

HYDRAULIC DRIVE
FOR WHEEL EXCAVATOR



H-W1 SERIES



- **Elevated stability** – Heavy duty design provides a lower center of gravity when driving on rail, helping to stabilize the excavator during operations.
- **Do more work over side** – Available with rail clamps and optional stabilizer systems.
- **Enhanced safety features** – This locking railgear engages during road and rail applications to prevent hydraulic drifting. DymaxRail's control group also includes slew and boom lockouts.
- **Better control** – Our innovative hydraulic drive system provides full hydrostatic feel and control, so when operators need to slow down they can.
- **Better braking** – Equipped with fail-safe hydraulic disc brakes that always set when stopped.
- **Self-contained directional lighting systems** – Red and white directional lights change automatically. No plugs connect to your excavator.
- **100% detachable** – The Dymax Rail Rider H-W1 attaches to your undercarriage through its one-of-a-kind interface, making it highly efficient.
- **Advanced stability features for 3rd rail networks** – Built-in hydraulic stabilizers provide enhanced stability without worries of hitting the 3rd rail.

Design and specifications are subject to change without notice.

RAIL RIDER ATTACHMENTS

GO AHEAD. GET THERE.

AVAILABLE IN ON RAIL GUIDE OR HYDROSTATIC DRIVE

RAIL RIDER -WX

RUBBER TIRE ON RAIL
FOR WHEEL EXCAVATOR

WX-1B SERIES



WX-4S SERIES



WX-2B SERIES



- **Exceptional track mobility** – Navigates railway with ease, featuring specially-engineered rail axle and lift group.
- **Enhanced safety features** – For better performance on rail, our safety control group includes slew and boom lockouts, operator indication of railgear position, enhanced stabilizer solutions and braking systems.
- **Made for 3rd rail networks** – Optional specialized rail clamps and stabilizers to suit 3rd rail applications. Available upon request.
- **Self-contained directional lighting systems** – Delivers automatic lighting change for red and white directional lights, with no plugs to connect to your excavator.

US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com



EQUIPMENT MOVERS & MATERIAL HANDLERS



GET ON TRACK
GO FROM ROAD TO RAIL FAST!

EQUIPMENT MOBILIZATION SIMPLIFIED

LO-RAILER - 35TON

ROADRAIL
POWERED FLATCAR

Capacity: 35 tons **Platform Size:** 8ft-6in x 24 ft length **Ramps:** Hydraulic
Overall Length: 44 ft **Speed:** 0-18 mph **Weight:** 28,900 lbs
Includes: single road axle and turntable
Options: Ballast hopper box



LOWBED EQUIPMENT MOVER - 90TON

HIGH CAPACITY ROADRAIL
POWERED FLATCAR

Capacity: 90 tons **Platform Size:** 8ft-6in x 26 ft length
Overall Length: 53 ft **Speed:** 0-18 mph **Weight:** 56,900 lbs
Options: Winch, backup power unit, pin on tag axle



RAILTRAX MATERIAL HANDLER - 50TON

HIGH CAPACITY ROADRAIL
POWERED FLATCAR

TRACKS ON. TRACKS OFF. GET ON TRACK IN 2 MINUTES!

Capacity: 50 tons **Platform Size:** 8ft-6in x 31/36 ft length
Overall Length: 48 & 53 ft **Speed:** 18-20 mph **Weight:** Subject to crane model
Options: Available with specialized articulating cranes, self-contained vacuum attachment and can house 2x (16ft) side dump boxes.



SPECIALIZED VEHICLES & SHUTTLES



MOVE DRILLING EQUIPMENT AND CRANES




DRILL RIG SHUTTLE - 45 TON

POWERED SIDE SHIFT
EXCAVATOR FLATCAR

Capacity: 45 tons **Side Shifting Platform Size:** 8ft-6in x 16ft 4in **Overall length:** 28ft 9 in


Speed: 3 / 12 mph **Weight:** 22,000 lbs

Suited for moving excavator mounted drilling and foundation equipment. Excellent for adjacent track applications. Platform features 14 inches of side shift setup with smart controller and heavy duty stabilizers. Includes hydraulic power unit and can be powered by the excavator to drive on rail.



Travel Position

Ramps and stabilizer raise up for traveling within network envelope.



CRANE SHUTTLE - 180 TON

EQUIPMENT MOVER

Capacity: 180 tons **Platform Size:** 1 bogie/dolly + powercar with 74hp power unit

Speed: 3 & 7 mph **Weight:** 17,500 lbs empty

Other Features: Includes air brake system, remote control and operator stand.



DYMAXRAIL PRODUCT GUIDE

RAILWAY ATTACHMENTS



BALLAST MAINTENANCE



BALLAST BLASTER



BALLAST TAMPERS



CRIBBING BUCKETS



CRIBBING CLAM BUCKETS

MATERIAL HANDLING



TIE HANDLER



TELESCOPIC TIE HANDLER



GRAPPLES

RAILWAY CLEANUP

BALLAST REGULATOR BROOM



RAILWAY CLEANUP BUCKET



BALLAST PLOW



RAILCAR MOVING



RAILCAR QUICK COUPLERS

Safely move railcars using your tractor or wheel loader. Available in front or rear mount and can be made to fit 3 point hitch or other popular coupler systems.



FRONT MOUNT



REAR MOUNT



WHEEL LOADER
TRAIN AIR KIT

MPX HYDRAULIC DRIVE EXCAVATOR CARTS



Available for: 8 ton to 36 ton excavators
End load deck design includes stabilizers, hydraulic drive, fail-safe brakes, rail clamps or stabilizers to provide maximum stability.

LIFT. PLACE. CONNECT AND GO.



TOWABLE MACHINERY CARTS

MODRAILER MACHINERY CART

Capacity: 35 tons

Deck Length: 40 feet

Includes stabilizers, power system, car knuckle, train air package, truck air package and optional side dump attachments.



MACHINERY RAIL CARTS UP TO 48 FEET LONG X 100 TON CAPACITY



MEET THE ROADRAILERS



FIFTH WHEEL TRAILER WITH INTEGRATED RAILGEAR

GVW: 60,000 lbs **Deck Capacity:** 30 tons **Lengths Available:** 48 & 53 feet



TAG TRAILER

GVW: 60,000 lbs **Deck Capacity:** 17 tons **Lengths Available:** 30 feet
Available with side platform ramps



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com



TRACK MAINTENANCE HEAVY DUTY CARTS

32 TON CAPACITY



Capacity: 32 tons

Deck Length: Up to 24 feet

Available with many options including braking solutions, lighting packages, tie and material stakes, box tops, side dumps and machinery ramps. For more information, please contact DymaxRail sales 1-800-530-5407.



GONDOLA BOX ATTACHMENT



SIDE DUMP CARTS

Features integrated stabilizers and can be removed when not in use, allowing operators to utilize cart chassis for other job applications. Includes stabilizer package for maximum stability during dumping.



INDUSTRIAL TRANSFER CARTS

BLAST ROOM CARTS WITH WHEEL PROTECTION



AEROSPACE RAIL CARTS



LOW PROFILE DESIGN WIDE GAUGE



RAIL DOLLIES



30-60T HEAVY DUTY



SPECIALIZED DESIGNED CARTS

WE MAKE CARTS MORE UNIQUE FOR A REASON.

Are you struggling with logistics in your network? We can design many solutions to meet your requirements.





**DYMAX
RAIL**

402 Miller Drive | PO BOX 297 | Wamego, KS 66547 USA

US: 1-800-530-5407 | WORLD WIDE: 785-456-2081

DYMAX SPECIALIZED ATTACHMENTS



**MINING, QUARRY &
EARTHMOVING**
FOR TRACK AND WHEEL DOZERS

- U-BLADES
- SEMI-U BLADES
- BOWLDOZERS
- STRAIGHT BLADES
- PUSH BLOCKS
- CUSHION DOZERS

1-800-530-5407 / 785-456-2081

www.DYMAXINC.com



DYMAX DOZER PRODUCT GUIDE

PIONEERS OF EARTHMOVING ATTACHMENTS FOR DOZERS



COAL U-BLADE

- Better built by design
- 30 degree wing angles
- Replaceable OEM pattern cutting edges

“YOU DON'T EAT PEAS WITH A KNIFE” W.E. BALDERSON / S.E. BALDERSON

COAL U-BLADE - TRACK AND WHEEL DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
Cat 834	DX-BL-CL-29.00x20ft3-WD-30	No	29.00	8,100
Tiger 690	DX-BL-CL-50.80x21ft11-WD-50	No	50.80	11,100
Cat 854	DX-BL-CL-65.00x23ft-WD-60	No	65.00	20,500
210-235	DX-BL-CL-12.50x14ft-TD-10	No	12.50	4,650
	DX-BL-CL-12.50x14ft-TD-10LGP	No	12.50	4,650
250-275	DX-BL-CL-22.00x16ft-TD-20	No	22.00	5,850
	DX-BL-CL-22.00x16ft-TD-20LGP	No	22.00	5,850
340-375	DX-BL-CL-28.80x18ft-TD-30	No	28.80	8,400
425-475	DX-BL-CL-40.00x19ft-TD-40	Optional	40.00	9,900
	DX-BL-CL-48.00x19ft-TD-40	Optional	48.00	10,500
590-650	DX-BL-CL-60.00x20ft-TD-50	Optional	60.00	14,000
	DX-BL-CL-68.00x21ft-TD-50	Optional	68.00	14,800
800-900	DX-BL-CL-90.00x24ft-TD-60	Optional	90.00	24,000
	DX-BL-CL-98.00x24ft6-TD-60	Optional	98.00	25,500

Design and specifications are subject to change without notice.
Please contact Dymax for custom solutions 1-800-530-5407.



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

DYMAX DOZER PRODUCT GUIDE

TOP-NOTCH DOZER BLADES SINCE THE 1940S

RECLAMATION U-BLADE - TRACK DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
340-375	DX-BL-RC-22.00X16ft-TD-30	Optional	22.00	8,600
425-475	DX-BL-RC-23.1x16ft6-TD-40 DX-BL-RCTX-22.6x15ft3-TD-40	Optional Yes	23.10 22.62	9,200 10,800
590-650	DX-BL-RC-40.00x19ft-TD-50 DX-BL-RCTX-31.6x17ft5-TD-50	Optional Yes	40.00 31.61	14,800 15,780
800-900	DX-BL-RC-60.0x21ft10-TD-60 DX-BL-RC-66.00x22ft-TD-60 DX-BL-RC-68.00x24ft-TD-60 DX-BL-RC-70.0x23ft10-TD-60	Optional packages contact Dymax	60.00 66.00 68.00 70.00	26,800 27,500 28,500 30,000
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

ABRASION U-BLADE - TRACK DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
210-235	DX-BL-HDU-8.75x11ft4-TD-10	Optional	8.75	4,250
250-275	DX-BL-HDU-12.00x13ft-TD-20	Optional	12.00	4,950
340-375	DX-BL-HDU-15.9x14ft6-TD-30	Yes	15.90	9,400
425-475	DX-BL-HDU-22.50x16ft-TD-40	Yes	22.50	12,500
590-650	DX-BL-HDU-28.8x17ft5-TD-50	Yes	28.80	16,000
800-900	DX-BL-HDU-45.0x20ft4-TD-60	Yes	45.00	29,600
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

VARIABLE RADIUS SEMI-U - LGP TRACK DOZER



Conical shape creates live rolling action and increases fuel efficiencies.

Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
210-235	DX-BL-SUVR-9.00x14ft-TD-10LGP	No	9.00	3,400
250-275	DX-BL-SUVR-10.2X14FT8-TD-20LGP	No	10.20	4,650
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

"We bought 2 variable radius blades from Dymax in 2002 & 2007 and are still operating them in 2023. They build tough blades."

- C. Karlsson - Sweden

LEGENDARY BLADE GURUS



DYMAX DOZER PRODUCT GUIDE

PIONEERS OF EARTHMOVING ATTACHMENTS FOR DOZERS

SEMI-U BLADE - WHEEL DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
Cat 824	DX-BL-SU-9.0x15ft9-WD-20	Option	9.00	6,600
Cat 834	DX-BL-SU-13.2x15ft5-WD-30	No	13.2	8,100
	DX-BL-SUHD-13.2x15ft5-WD-30	Yes	13.2	9,800
Cat 844	DX-BL-SU-20.9x17ft9-WD-40	No	20.90	11,100
	DX-BL-SU-24.9x20ft5-WD-40	Yes	24.20	13,000
Cat 854	DX-BL-SU-33.1x20ft7-WD-60	No	33.1	20,900
	DX-BL-SUHD-33.1x20ft7-WD-60	Yes	33.1	25,000
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

SEMI-U BLADE - TRACK DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
210-235	DX-BL-SU-7.50x11ft-TD-10	Option	7.50	3,100
	DX-BL-SU-9.00x13ft9-TD-10LGP	Option	9.00	3,500
250-275	DX-BL-SU-9.70x11ft8-TD-20	Option	9.70	4,000
	DX-BL-SU-10.0x14ft8-TD-20LGP	Option	10.00	4,650
340-375	DX-BL-SU-12.0x13ft1-TD-30	Option	12.00	6,400
	DX-BL-SU-13.50x15ft-TD-30LGP	Option	13.50	6,980
425-475	DX-BL-SU-17.9x14ft6-TD-40	Option	17.9	8,870
590-650	DX-BL-SUHD-24.20x16ft-TD-50	Yes	24.20	15,700
800-900	DX-BL-SUHD-35.5x18ft8-TD-60	Yes	35.5	25,000
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

STRAIGHT BLADE - WHEEL DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
Cat 824	DX-BL-ST-6.0x14ft7-WD-20	Option	6.00	5,180
Cat 834	DX-BL-ST-10.3x15ft6-WD-30	No	10.30	8,000
Cat 834	DX-BL-STHD-10.3x15ft6-WD-30	Yes	10.30	10,830
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				



DYMAX DOZER PRODUCT GUIDE

TOP-NOTCH DOZER BLADES SINCE THE 1940S

WOODCHIP BOWLDOZER - TRACK AND WHEEL DOZER



Tractor or Horsepower	Model Code	Capacity (yd ³)	Weight (lbs)
Cat 824	DX-BL-BDWC-36.6x15ft4-WD-20	36.6	11,500
340-375	DX-BL-BDWC-42.8x18ft6-TD-30	42.8	13,700
	DX-BL-BDWC-52.0x18ft6-TD-30	52.0	15,000
425-475	DX-BL-BDWC-80.0x22ft9-TD-40	80.00	15,110

Design and specifications are subject to change without notice.
For custom solutions contact Dymax Sales 1-800-530-5407.

COAL BOWLDOZER - TRACK AND WHEEL DOZER



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
Cat 834	DX-BL-BDCL-26.3X15ft5-WD-30	Option	26.30	12,980
425-475	DX-BL-BDCL-37.00x19ft-TD-40	Option	37.00	13,500
	DX-BL-BDCL-39.00x18ft-TD-40	Option	39.00	13,800
590-650	DX-BL-BDCL-48.7x19ft8-TD-50	Option	48.70	19,800

Design and specifications are subject to change without notice.
Please contact Dymax regarding Coal Bowl dozers for Cat 824/844 machines.


“STILL BUILT LIKE GRANDPA TAUGHT US”
A Balderson family tradition since 1930



DYMAX DOZER PRODUCT GUIDE

PIONEERS OF EARTHMOVING ATTACHMENTS FOR DOZERS

CUSHION DOZER & PUSH BLOCKS - TRACK DOZER



DX-BL-CUSH - CUSHION BLADE

Tractor or Horsepower	Model Code	Weight (lbs)
340-375	DX-BL-CUSH-OMOUNT-TD-30 with arms DX-BL-CUSH-D8_OMNT-TD-30 blade only	12,500 9,620
425-475	DX-BL-CUSH-OMOUNT-TD-40 with arms DX-BL-CUSH-D9_OMNT-TD-40 blade only	15,550 12,400
250-275	DX-PBF-BO-CUSH-TD-20 blade mount DX-PBR-BO-CUSH-TD-20 rear mount	3,900 4,810
340-375	DX-PBF-BO-CUSH-TD-30 blade mount DX-PBR-BO-CUSH-TD-30 rear mount	4,650 6,904
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.		




DX-BL-PBF CUSHION BLOCK-BLADE MOUNT



DX-BL-PBR CUSHION BLOCK-REAR MOUNT

CUSTOM EXTRA WIDE U-BLADES - FOR WET SLURRY CONDITIONS

INCREASE YOUR MACHINE'S PRODUCTIVITY WITH JOB-MATCHED DYMAX BLADES



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

DYMAX DOZER PRODUCT GUIDE

TOP-NOTCH DOZER BLADES SINCE THE 1940S

LANDFILL U-BLADES



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
210-235	DX-BL-LF-16.50x13ft-TD-10	Option	16.50	3,950
	DX-BL-LF-16.50x14ft-TD-10LGP	Option	16.50	4,100
250-275	DX-BL-LF-24.00x14ft-TD-20	Option	24.00	5,650
	DX-BL-LF-24.0x14ft8-TD-20LGP	Option	24.00	6,000
340-375	DX-BL-LF-30.0x16ft1-TD-30	Option	30.00	7,400
425-475	DX-BL-LF-50.30x18ft-TD-40	Option	50.30	10,800
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

SPECIALIZED SOLUTIONS - TRACK DOZER

CAT 834 / CAT D10 PUSH ARMS



ROCK AND ROOT RAKES



CAT D6, D7, D8 SLOPE BOARDS



OILFIELD STRAIGHT BLADE - INSIDE MOUNTED



THE BALDERSON FAMILY LEGACY

More than a Century of Commitment

What's in a name? Sometimes not much. Often everything. Dymax was born amidst the values and beliefs of the Balderson family. It's a name that has long stood for quality, integrity and service.

We've been working with iron and steel for more than 135 years. In the early days it was as simple as repairing wagons, shodding horses and performing basic blacksmithing tasks in and around the small community of Wamego, Kansas. As time evolved, so did machines and so did we. Yet one thing remained the same – our family tradition of providing the highest quality, best engineered solutions to meet customers' needs. We stand behind what we build and always drive toward building it even better. The world has changed since Seth Balderson opened his blacksmith shop in 1875, yet our family creed remains intact:

WE TREAT EVERY CUSTOMER AS IF THEY WERE OUR ONLY CUSTOMER!



WWW.DYMAXINC.COM

402 MILLER DRIVE | PO BOX 297 | WAMEGO, KS | 66547 | USA
US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | FAX: 1-785-456-8328

DYMAX **SPECIALIZED ATTACHMENTS**



**MINING, QUARRY &
EARTHMOVING**
FOR LOADERS AND EXCAVATORS

- **ROCK BUCKETS**
- **BLOCK HANDLING COUPLERS**
- **QUARRY FORKS**
- **EXCAVATOR BUCKETS**
- **STRAIGHT BLADES**
- **HEAVY DUTY FORKS**


1-800-530-5407 / 785-456-2081

www.DYMAXINC.com



MINING, QUARRY & EARTHMOVING ATTACHMENTS

IF YOU'RE BRUTAL ON BUCKETS, DEMAND DYMAX



SAND & GRAVEL BUCKETS - WHEEL LOADER

Dymax Sand and Gravel Buckets are designed for use in abrasive materials or extreme wear applications, such as loading sand and gravel or charging asphalt plants and quarries.

These buckets incorporate proven design criteria, which yield superior loading characteristics over many general purpose buckets.



Operating Weight (lbs)	Capacity (yd³)	Options
42,000-47,500	4.50-5.25	<ul style="list-style-type: none">• Straight or Spade Nose• Liners• Replaceable side-bar protectors• Custom designs
48,000-56,000	5.50-6.50	
66,000-80,000	7.50-9.60	
108,000-124,000	10.00-12.50	
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.		

KEY FEATURES

1. Auxiliary heavy duty spill guard
2. Radial side cutters retain more material with less spillage
3. Choice of spade or straight edge
4. Specialized bucket liners: AR400, carbide overlay
5. Extra wear plates
6. Wedge floor design with rear bolt-on wear plates

MINING, QUARRY & EARTHMOVING ATTACHMENTS

DURABLE BUCKETS FOR ABRASIVE ENVIRONMENTS

ROCK BUCKETS - WHEEL LOADER



Operating Weight (lbs)	Class	Capacity (yd³)	Options
48,000-56,000	WL-80	4.50-5.25	<ul style="list-style-type: none">• Moldboard Liners• Bolt-on edges for stockpile loading• Replaceable sidebar protectors• Specialized edge solutions from Cat, Esco or Hensley• Custom designs
66,000-80,000	WL-90	6.00-7.50	
108,000-124,000	WL-100	8.00-11.00	
155,000-175,000	WL-110	12.00-14.00	
190,000-235,000	WL-120	15.00-20.00	
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.			

AVAILABLE IN SPADE NOSE, STRAIGHT EDGE OR A CLIP-V EDGE



Dymax Rock Buckets are matched to the loader's performance and are constructed using high tensile steels including T1, AR400 and AR500. Available with a wider range of ground engaging tools.



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

MINING, QUARRY & EARTHMOVING ATTACHMENTS

STONE BLOCK HANDLING. SIMPLIFIED.

GOT BIG ROCKS?
LET'S MOVE THEM TOGETHER

QUARRY SOLUTIONS - WHEEL LOADER



BLOCK HANDLING QUICK COUPLER



BLOCK HANDLING FORKS



SINGLE BREAKER TINE FORK



CLEARING BOOM



FLAT BOTTOM ROCK BUCKET



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

MINING, QUARRY & EARTHMOVING ATTACHMENTS

TOP-NOTCH SPECIALTY ATTACHMENTS SINCE THE 1930S

SHAFT MOUNTED FORKS - WHEEL LOADER



Loader Operating Weight (lbs)	Tine length x carriage width (inches)
66,000-80,000	DX-FK-PTS-96x110-WL-90
108,000-124,000	DX-FK-PTS-96x110-WL-100 DX-FK-PTS-108X120-WL-100
155,000-175,000	DX-FK-PTS-108X120-WL-110
190,000-235,000	DX-FK-PTS-120X120-WL-120
Please contact Dymax for custom solutions.	

HD HYDRAULIC ADJUSTABLE TINE FORK - WHEEL LOADER

Loader Operating Weight (lbs)	Model Code
66,000-80,000	DX-FKHD-PTHT-96x110-WL-90 DX-FKHD-PTHT-108x110-WL-90
108,000-124,000	DX-FKHD-PTHT-108x110-WL-100
Please contact Dymax for custom solutions.	



SKELETON ROCK BUCKETS - EXCAVATORS AND LOADERS



**CLEANUP
MADE EASY**

MINING, QUARRY & EARTHMOVING ATTACHMENTS

IF YOU'RE BRUTAL ON BUCKETS, DEMAND DYMAX.

MASS EXCAVATION BUCKETS

EXCAVATOR 45-190T



HD GENERAL PURPOSE
EXCAVATOR 20-95T



SEVERE DUTY ROCK
EXCAVATOR 30-120T



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

MINING, QUARRY & EARTHMOVING ATTACHMENTS

TOP-NOTCH SPECIALTY ATTACHMENTS SINCE THE 1930S

SIDE DUMP BUCKETS - WHEEL LOADER



STRAIGHT BLADES
WHEEL LOADER

COAL BUCKETS
WHEEL LOADER



**HYDRAULIC
ANGLING BLADES**
WHEEL LOADER

SPECIALIZED SOLUTIONS

- Cuts steel corded conveyor belt in minutes
- Attaches to telehandler or wheel loader
- Removes need for hand sawing



CONVEYOR BELT SAW



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DymaxInc.com

THE BALDERSON FAMILY LEGACY

More than a Century of Commitment

What's in a name? Sometimes not much. Often everything. Dymax was born amidst the values and beliefs of the Balderson family. It's a name that has long stood for quality, integrity and service.

We've been working with iron and steel for more than 135 years. In the early days it was as simple as repairing wagons, shodding horses and performing basic blacksmithing tasks in and around the small community of Wamego, Kansas. As time evolved, so did machines and so did we. Yet one thing remained the same – our family tradition of providing the highest quality, best engineered solutions to meet customers' needs. We stand behind what we build and always drive toward building it even better. The world has changed since Seth Balderson opened his blacksmith shop in 1875, yet our family creed remains intact:

WE TREAT EVERY CUSTOMER AS IF THEY WERE OUR ONLY CUSTOMER!



WWW.DYMAXINC.COM

402 MILLER DRIVE | PO BOX 297 | WAMEGO, KS | 66547 | USA
US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | FAX: 1-785-456-8328

DYMAX **SPECIALIZED ATTACHMENTS**



INDUSTRIAL AGRICULTURE **FOR LOADERS**

- **PUSHOUT BUCKETS**
- **ROLLOUT BUCKETS**
- **LIGHT MATERIAL BUCKETS**
- **HAY FORKS & SPEARS**
- **LOADER COUPLERS**
- **ANGLING BLADES**

1-800-530-5407 / 785-456-2081

www.DYMAXINC.com




INDUSTRIAL AG, DAIRY & FEEDYARD ATTACHMENTS

WHEN DURABILITY IS WHAT YOU SEEK, DEMAND DYMAX

PUSHOUT BUCKET

- 2X FASTER MATERIAL DELIVERY PER PASS
- HIT SCALE WEIGHTS WITHOUT SHAKING THE MACHINE TO DEATH.



WE'RE THE ORIGINAL RECIPE. IMITATED BUT NEVER DUPLICATED.

PUSHOUT BUCKET - WHEEL LOADER

Dymax Pushout Buckets for wheel loaders, toolcarriers and telehandlers are the new way to handle light materials that require high dump heights. Specially designed to aid operators in reducing feeding overages.

Pushout buckets feature a hydraulically-driven ram that ejects the material from the bucket, avoiding the dump cycle of standard buckets and the hard-to-control rollout cycle of rollout buckets.

Machine Type	Material Weight Range (lbs)	Capacities Available	Options
Wheel Loader	500-1800 lbs	3.00 - 12.00 yd ³	<ul style="list-style-type: none">• Rubber edges• Pin on or coupler lugging
Please contact Dymax for custom solutions 1-800-530-5407.			



Fully sealed with rubber wipers, providing a clean sweep every pass.

Pin on lugging or made to fit specific coupler systems.



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

Feedlots can save up to \$300,000 per year in feed expenses with a Dymax Pushout Bucket

A feedlot in Eastern Colorado did an independent study in 2016 to measure the difference in overages when using a traditional rollout bucket vs. a Dymax pushout bucket.

The data below is based on the original study, but updated to reflect current feed costs.



Cost of feed per lb*	\$0.1779
Target pounds fed per day per head	25.00
Number of days in feeding cycle	120
Number of head in feeding cycle	40,000
Savings per feeding cycle**	\$100,336
Savings per head per feeding cycle	\$2.51

* As of December 2023

** Based on decrease in overages from 0.5% to 0.03% with Dymax Pushout Bucket

CONCLUSIONS DRAWN BY FEEDLOT

- Pushout buckets allow the operator to meter the unloading cycle without shaking the bucket – **hitting target load and exact scale rates every time.**
- Instead of worrying about load shift, the operator can keep their eyes on the scale and promptly release the hydraulic push gate when target weight is achieved – **decreasing operator stress.**
- Over time, the shaking required of rollout buckets stresses wheel loader lift arms, quick couplers and bucket frames. Pushout buckets do not require the operator to shake the bucket – **lowering maintenance equipment costs.**

Fewer Overages

Before: Rollout bucket = 0.5% overages

After: Dymax pushout bucket = 0.03% overages

The average life expectancy of a Dymax Pushout Bucket is 10,000 hours on 10 hour days. You could save more than \$800,000 over the lifespan of the bucket. What could you do with that kind of money?



INDUSTRIAL AG, DAIRY & FEEDYARD ATTACHMENTS

DEMAND DYMAX FOR DURABILITY

ROLLOUT BUCKET - WHEEL LOADER

Dymax High Dump Rollout Buckets are the solution to high dump clearance requirements, and are backed by the best service in the industry.


Dymax High Dump Rollout Buckets incorporate a single, vertically-mounted dump cylinder, which significantly improves the ratio of cylinder stroke to dump motion. It also reduces metal fatigue found on rollout buckets with floor pockets and two bottom-mounted dump cylinders.

EXTENDED REACH AND DUMP HEIGHT

- 2-3 feet increase over hinge pin height.
- Center load trucks with extended reach.



OEM Pattern
Bolt on cutting edges



Machine Type	Material Weight Range (lbs)	Capacities Available	Options
Wheel Loader	500-1800 lbs	3.00 - 15.00 yd ³	<ul style="list-style-type: none">• Grapples• Side Shrouds• Coupler hooks or pin on lugging

Please contact Dymax for custom solutions 1-800-530-5407.

REACH FAR ABOVE THE REST

- STRONGER DESIGN, LESS FATIGUE, NEVER GOES OVER CENTER
- GET JOB-MATCHED PERFORMANCE
- INCREASE REACH AND DUMP HEIGHT BY 2-3 FEET
- SLIDE LINKS ENSURE TOP-NOTCH CYLINDER PERFORMANCE
- AVAILABLE WITH OPTIONAL GRAPPLES



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

INDUSTRIAL AG, DAIRY & FEEDYARD ATTACHMENTS

TOP-NOTCH BUCKETS SINCE THE 1940S



LIGHT MATERIAL BUCKETS - WHEEL LOADER

Our light material buckets are built tough. We understand that while the materials may be light, the applications are demanding. Available in traditional designs or job-matched to meet our customers' requirements.

Machine Type	Material Weight Range (lbs)	Capacities Available	Options
Wheel Loader	500-2000 lbs	3.00 - 18.00 yd ³	<ul style="list-style-type: none">• Pin on or coupler• Radial side cutters• Replaceable side shrouds• Rubber edges
Please contact Dymax for custom solutions 1-800-530-5407.			

TRADITIONAL DESIGN
DX-BK-LMP



CUSTOM DESIGN
DX-BK-LMBS

BONUS BUCKETS - HIGH LIFT

Available for high lift machines working on special applications handling corn, fertilizer or distillers grains. Increase dump height and gain more capacity per pass with a Dymax Bonus Bucket.

CUSTOM DESIGN
DX-BK-LMPC



EXTRA-WIDE TRUCK LOADING

Wide designs are suited for loading corn with fewer passes, but also enable operators to fill the truck trailers more evenly. Common widths range between 12 to 16 feet, with capacities up to 10-12 cubic yards.

INDUSTRIAL AG, DAIRY & FEEDYARD ATTACHMENTS

DEMAND DYMAX FOR DURABILITY

RAILCAR COUPLERS - WHEEL LOADER & TRACTOR

Available for the front or rear mount on wheel loaders and tractors. Efficient solution for any co-op or grain terminal port needing to safely handle train cars. Available with optional air systems.



LOADER QUICK COUPLERS - WHEEL LOADER

Dymax quick coupler systems are built tough for harsh applications. Available in both horizontal pin lock and wedge lock models. Not all styles are listed.

Machine Type	Compatible Solutions	Options
Wheel Loader	<ul style="list-style-type: none">• Cat/Balderson horizontal pin or wedge lock models• JRB 416, 418 and 420• Volvo/Euro L50-L120• Hewitt VPL vertical pin	Electro-hydraulic valve kit for pin lock/unlock
Please contact Dymax for custom solutions 1-800-530-5407.		



PALLET FORKS - Material Handling

- Available in manual or hydraulic adjustable tine configurations.



ANGLE BLADES - Yard maintenance

- Hydraulic angling for snow removal or grading.



INDUSTRIAL AG, DAIRY & FEEDYARD ATTACHMENTS

TOP-NOTCH ATTACHMENTS SINCE THE 1930S




BALE SQUEEZES



Machine Operating Weight (lbs)	Models	Weight (lbs)
20,000-24,000	DX-HS-STD-73inx113in-WL-40	3,400
26,500-31,000	DX-HS-STD-73inx113in-WL-50	3,400
	DX-HS-SF-73inx113in-WL-50	4,600
32,000-38,000	DX-HS-STD-73inx113in-WL-60	3,600
	DX-HS-SF-73inx113in-WL-60	4,600
40,000-47,000	DX-HS-STD-73inx113in-WL-70	3,600
	DX-HS-SF-73inx113in-WL-70	4,600
Please contact Dymax for custom solutions 1-800-530-5407.		

HAY HANDLING SPEARS AND GRAPPLES



SINGLE BALE SPEAR
DX-BS-1SPR

DUAL BALE SPEAR
DX-BS-2SPR



BALE HANDLER
(2 BALE) RECTANGULAR
DX-BH-4SPR



HAY & MANURE FORK
FULL TOP CLAMP
DX-FK-HM

US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DymaxInc.com



THE BALDERSON FAMILY LEGACY

More than a Century of Commitment

What's in a name? Sometimes not much. Often everything. Dymax was born amidst the values and beliefs of the Balderson family. It's a name that has long stood for quality, integrity and service.

We've been working with iron and steel for more than 135 years. In the early days it was as simple as repairing wagons, shodding horses and performing basic blacksmithing tasks in and around the small community of Wamego, Kansas. As time evolved, so did machines and so did we. Yet one thing remained the same – our family tradition of providing the highest quality, best engineered solutions to meet customers' needs. We stand behind what we build and always drive toward building it even better. The world has changed since Seth Balderson opened his blacksmith shop in 1875, yet our family creed remains intact:


WE TREAT EVERY CUSTOMER AS IF THEY WERE OUR ONLY CUSTOMER!



WWW.DYMAXINC.COM

402 MILLER DRIVE | PO BOX 297 | WAMEGO, KS | 66547 | USA
US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | FAX: 1-785-456-8328

DYMAX **SPECIALIZED ATTACHMENTS**



FORESTRY AND LAND CLEARING

- **TREE SHEARS**
- **BRUSHCUTTERS**
- **BUCKETS, FORKS & RAKES**
- **360 GRAPPLES**
- **WOODCHIP BLADES & SCOOPS**

1-800-530-5407 / 785-456-2081

www.DYMAXINC.com



FORESTRY AND LAND CLEARING ATTACHMENTS

DEMAND DYMAX FOR DURABILITY

HPX TREE SHEARS

- REMOVE TREES FAST & EFFICIENTLY FROM THE SEAT OF YOUR MACHINE.
- EXCELLENT FOR FIRE PREVENTION, RIGHTS OF WAY AND PLANTATION THINNING OF PULP WOOD.



WE'RE THE ORIGINAL RECIPE. IMITATED BUT NEVER DUPLICATED.

HPX TREE SHEARS - EXCAVATOR & BACKHOE

Cut more trees. Cut harder woods. Cut ground level. The Dymax Tree Shear is the king of tree shears and provides the strongest design for cutting woods of all types, including hardwoods. Ideal for biomass clearing operations and applications for removing diseased trees, fire prevention methods, water conservation, power line utility tree removal and all general clearing operations where trees of all sizes and shapes need to be removed. Available for excavators and backhoe loaders.

WORLD'S TOUGHEST TREE SHEARS



From 8in to 21in, Dymax has a size for every job and machine capacity.



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com



EASY TREE REMOVAL

BRING DOWN THE BIGGEST TREES IN SECONDS. IDEAL FOR TREE CLEARING CONTRACTORS, HIGHWAY DEPARTMENTS, FOREST AND LAND MITIGATION, BIOMASS OPERATIONS.

ADAPTABLE

+ BOLT-ON MACHINE INTERFACE
+ 60° OR 180° OPTIONAL ROTATOR
+ OPTIONAL VALVE CONTROL GROUPS

FASTER CUTTING

LARGER HOSE LINES AND VALVE GROUPS PROVIDE FASTER CYCLE TIMES. CUT TREES IN SECONDS. HOSES AND VALVE PROTECTED INSIDE HOUSE.

MORE POWER. GUARANTEED.

TWIN CYLINDERS DELIVER NEARLY 2x THE CUTTING FORCE COMPARED TO SINGLE KNIFE SHEARS. INNOVATIVE DESIGN MAXIMIZES POWER DURING THE CUT WITH LESS ARM DEFLECTION.

HPX 8"




EXCAVATOR 5-6T

HPX 10"



EXCAVATOR 8-14T

HPX 14"




EXCAVATOR 13-20T

HPX 16"



EXCAVATOR 16-23T

HPX 21"



EXCAVATOR 25-36T

Machine Size	Model Code	Max Cut (diameter)	Weight (lbs / kg) Includes machine adapter
5-6T	DX-TS-FG-HPX8	8 in / 20 cm	875 / 397
8-14T	DX-TS-FG-HPX10	10 in / 25 cm	1,600 / 726
13-20T	DX-TS-FG-HPX14	14 in / 36 cm	2,970 / 1,348
16-23T	DX-TS-FG-HPX16	16 in / 41 cm	3,498 / 1,677
20-25T	DX-TS-FG-HPX18	18 in / 46 cm	5,160 / 2,340
25-36T	DX-TS-FG-HPX21	21 in / 53 cm	6,400 / 2,903
Models below feature built-in rotators for positioning.			
12-14T	DX-TS-FGT-HPX10x180°	10 in / 25cm	2,280 / 1,034
13-20T	DX-TS-FGT-HPX14x60°	14 in / 36 cm	2,280 / 1,034
16-23T	DX-TS-FGT-HPX16x60° DX-TS-FGT-HPX16x97°	16 in / 41 cm	4,200 / 1,905 4,500 / 2,041
25-36T	DX-TS-FGT-HPX21x60° DX-TS-FGT-HPX21x97° DX-TS-FGT-HPX21x180°	21 in / 53 cm	6,850 / 3,108 7,450 / 3,379 6,966 / 3,160
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.			

FORESTRY AND LAND CLEARING ATTACHMENTS

DEMAND DYMAX FOR DURABILITY

ROTATING LIMBSHEAR

TOUGH AND DEPENDABLE

With 180° of hydraulic rotation, these shears will adjust to the limb or tree, making them excellent for pruning operations along roadsides or rail lines.

- Compact frame design for congested applications.
- Super fast cycle time.
- Heavy duty replaceable shear blade comprised of high tensile steel.
- Hoses and fittings are well protected from abusive elements found in shearing applications.
- 180° total hydraulic rotation.
- Available in 10", 14" or 20" diameter cutting capacity.
- Available without rotation for tiltrotator applications.

Machine Type	Model	Cut Diameter (in / cm)
Excavator	DX-TS-RLS-10in-HX-8T	10 in / 25cm
Backhoe	DX-TS-RLS-10in-BL-10	10 in / 25cm
Excavator	DX-TS-RLS-14in-HX-20T	14 in / 36cm
Excavator	DX-TS-RLS-20in-HX-36T	20 in / 51cm
Models include 12/24V electro-hydraulic kit. Please contact Dymax for custom solutions 1-800-530-5407.		



VORTEXMAX BRUSHCUTTER - EXCAVATOR



STANDS UP TO THE ABUSE

The Dymax VortexMax Brushcutter is a rotary brushcutter designed to destroy trees and vegetation up to 8 inches in diameter. Equipped with heavy duty balanced cutting disk and (3) AR400 replaceable cutting knives.



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

FORESTRY AND LAND CLEARING ATTACHMENTS

TOP-NOTCH ATTACHMENTS SINCE THE 1930S

BUCKETS, FORKS AND RAKES



ROLLOUT BUCKETS



WOODCHIP BUCKETS



GRAPPLE BUCKETS
SKELETAL TINE



LOG & LUMBER FORKS



LOG & LUMBER FORKS
WISHBONE CLAMP



MILLYARD FORKS



XD GRAPPLE RAKES
SINGLE OR DUAL GRAPPLE



EXCAVATOR RAKES




REFUSE CLEARING RAKES
SINGLE OR DUAL GRAPPLE

FORESTRY AND LAND CLEARING ATTACHMENTS

DEMAND DYMAX FOR DURABILITY

GRAPPLES - EXCAVATOR



FORESTRY GRAPPLE - DX-GL-FYHD

- 360° ROTATION
- 3 OVER 4 TINE DESIGN
- LOG REST SUPPORT
- CYLINDER GUARDS



LOGGING GRAPPLE DX-GL-LGPG & DX-GL-LGCP

- 360° ROTATION
- BYPASS GRAPPLE

FITS PIN GRAB COUPLER AND
CAN BE MANIPULATED



DANGLING STYLE WITH PIN GRAB
CONNECTION (NOT SHOWN: WITH
UPPER STORAGE ARMS)



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

FORESTRY AND LAND CLEARING ATTACHMENTS

TOP-NOTCH ATTACHMENTS SINCE THE 1930S

WOODCHIP DOZER BLADES

- U-BLADES
- BOWLDOZER
- CHIP SCOOP

CUSTOM DESIGNS AVAILABLE



**WOODCHIP
BOWLDOZER**



**WOODCHIP
U-BLADES**



**WOODCHIP
SCOOPS**

US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com



THE BALDERSON FAMILY LEGACY

More than a Century of Commitment

What's in a name? Sometimes not much. Often everything. Dymax was born amidst the values and beliefs of the Balderson family. It's a name that has long stood for quality, integrity and service.

We've been working with iron and steel for more than 135 years. In the early days it was as simple as repairing wagons, shodding horses and performing basic blacksmithing tasks in and around the small community of Wamego, Kansas. As time evolved, so did machines and so did we. Yet one thing remained the same – our family tradition of providing the highest quality, best engineered solutions to meet customers' needs. We stand behind what we build and always drive toward building it even better. The world has changed since Seth Balderson opened his blacksmith shop in 1875, yet our family creed remains intact:

WE TREAT EVERY CUSTOMER AS IF THEY WERE OUR ONLY CUSTOMER!



WWW.DYMAXINC.COM

402 MILLER DRIVE | PO BOX 297 | WAMEGO, KS | 66547 | USA
US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | FAX: 1-785-456-8328

DYMAX **SPECIALIZED ATTACHMENTS**



REFUSE, RECYCLING, TRASH & LANDFILL

LOADER, EXCAVATOR & BACKHOE

- **REFUSE BUCKETS**
- **GRAPPLE BUCKETS**
- **CLAM BUCKETS**
- **ROTATING GRAPPLES**
- **RECYCLING BALE SQUEEZE**
- **LANDFILL BLADES**

1-800-530-5407 / 785-456-2081

www.DYMAXINC.com



WASTE HANDLING ATTACHMENT SOLUTIONS

PREMIUM ATTACHMENTS FOR LOADERS & BACKHOES

MORE REACH MORE SMASH



WANT DURABILITY? DEMAND DYMAX

TRANSFER STATION BUCKET - WHEEL LOADER & LOADER BACKHOE



Wheel Loader



Loader Backhoe

Machine Operating Weight (lbs)	Model Code	Capacity (yd ³)	Weight (lbs)
Backhoe 100HP	DX-BK-RFTS-2.00cyd-BL-10	2.00	1,850
Backhoe 130HP	DX-BK-RFTS-3.00cyd-BL-20	3.00	2,100
26,000-31,500	DX-BK-RFTS-5.00cyd-WL-50	5.00	3,850
32,000-38,000	DX-BK-RFTS-6.00cyd-WL-60	6.00	4,650
32,000-38,000	DX-BK-RFTS-6.50cyd-WL-60	6.50	5,000
40,000-47,500	DX-BK-RFTS-7.50cyd-WL-70	7.50	6,000
40,000-47,500	DX-BK-RFTS-8.00cyd-WL-70	8.00	6,450
48,000-56,000	DX-BK-RFTS-10.00cyd-WL-80	10.00	7,000
48,000-56,000	DX-BK-RFTS-11.00cyd-WL-80	11.00	7,200
	DX-BK-RFTS-13.00cyd-WL-80	13.00	7,800

Design and specifications are subject to change without notice.
Please contact Dymax for custom solutions 1-800-530-5407.
Weights are factored with steel cutting edges.
Available with rubber cutting edges.



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

WASTE HANDLING ATTACHMENT SOLUTIONS

DURABLE SPECIALTY ATTACHMENTS SINCE THE 1930S

ROLLOUT BUCKET - WHEEL LOADER



Machine Operating Weight (lbs)	Model Code	Capacity (yd ³)	Weight (lbs)
17,000-20,000	DX-BK-RO-2.50CYD-WL-30	2.50	3,000
26,000-31,500	DX-BK-RO-3.00CYD-WL-50	3.00	4,500
32,000-38,000	DX-BK-RO-3.50CYD-WL-60	3.50	4,800
	DX-BK-RO-4.50CYD-WL-60	4.50	5,300
40,000-47,500	DX-BK-RO-5.50CYD-WL-70	5.50	6,200

Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.

ROLLOUT BUCKET WITH GRAPPLES - WHEEL LOADER



Machine Operating Weight (lbs)	Model Code	Capacity (yd ³)	Weight (lbs)
17,000-20,000	DX-BK-ROGL-2.00CYD-WL-30	2.00	4,000
20,000-24,000	DX-BK-ROGL-3.00CYD-WL-40	3.00	5,800
32,000-38,000	DX-BK-ROGL-3.50CYD-WL-60	3.50	6,440
	DX-BK-ROGL-4.00CYD-WL-60	4.00	6,800

Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.

LOGLIP BUCKET WHEEL LOADER



LANDFILL BUCKET WHEEL & TRACK LOADER



4-IN-1 BUCKET WHEEL & TRACK LOADER



LEGENDARY BUCKET GURUS



WASTE HANDLING ATTACHMENT SOLUTIONS

DEMAND DYMAX FOR DURABILITY

BALE HANDLING GRAPPLE BUCKET - WHEEL LOADER




Machine Operating Weight (lbs)	Model Code	Capacity (yd ³)	Weight (lbs)
17,000-20,000	DX-BK-GLBF-2.25cyd-WL-30	2.25	2,600
20,000-24,000	DX-BK-GLBF-3.00cyd-WL-40	3.00	3,200

Design and specifications are subject to change without notice.
For custom solutions contact Dymax Sales 1-800-530-5407.



LOAD BALES, LOOSEN TRASH AND STACK MATERIALS EFFICIENTLY



WASTE HANDLING ATTACHMENT SOLUTIONS

DURABLE SPECIALTY ATTACHMENTS SINCE THE 1930S



GRAPPLE BUCKETS - WHEEL & TRACK LOADERS

DUAL GRAPPLE

Ladder Style



FULL GRAPPLE

Solid Plate Type



- Up to 9.00 cubic yard capacity.
- Pin on or coupler hooks.
- Available with bolt on teeth, steel or rubber cutting edges.
- Choose between dual or full width grapple clamps.
- Optional bolt-on removable side plates.
- Optional skeleton floor for leaving unwanted materials behind.
- Hydraulic guard package.



GET YOUR NEXT GRAPPLE BUCKET BUILT THE WAY YOU LIKE IT!



WASTE HANDLING ATTACHMENT SOLUTIONS

GET A GRIP WITH DYMAX

COMPACTION GRAPPLE CLAM BUCKET - EXCAVATOR & BACKHOE LOADER



Machine (Pin Diam)	Model Code	Rotator	Weight (lbs)
Backhoe 45/50MM	DX-BK-CLAM-24in-BL-10	No	910
	DX-BK-CLAM-24X360-BL	Yes	1,335
8T-11T 50MM	DX-BK-CLAM-24in-HX-8T	No	910
	DX-BK-CLAM-24X360-HX-8T	Yes	1,335
	DX-BK-CLAM-24in-HX-11T	No	1,100
	DX-BK-CLAM-24X360-HX-11T	Yes	1,550
12-16T 65MM	DX-BK-CLAM-36in-HX-12T	No	1,400
	DX-BK-CLAM-36X360-HX-12T	Yes	1,850
	DX-BK-CLAM-36in-HX-16T	No	1,500
	DX-BK-CLAM-36X360-HX-16T	Yes	1,950

Design and specifications are subject to change without notice.
Please contact Dymax for custom solutions 1-800-530-5407.

ROTATION GRAPPLES - EXCAVATORS 5T-36T AND BACKHOE LOADERS

C&D GRAPPLE 360°



MODEL
DX-GL-CDBW-360

MULTI-APPLICATION 360°



MODEL
DX-GL-MA-360

BYPASS 360°



MODEL
DX-GL-LPG-360



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

WASTE HANDLING ATTACHMENT SOLUTIONS

DURABLE SPECIALTY ATTACHMENTS SINCE THE 1930S

LANDFILL U-BLADES



Tractor or Horsepower	Model Code	Liner	Capacity (yd ³)	Weight (lbs)
210-235	DX-BL-LF-16.50x13ft-TD-10	Option	16.50	3,950
	DX-BL-LF-16.50x14ft-TD-10LGP	Option	16.50	4,100
250-275	DX-BL-LF-24.00x14ft-TD-20	Option	24.00	5,650
	DX-BL-LF-24.0x14ft8-TD-20LGP	Option	24.00	6,000
340-375	DX-BL-LF-30.0x16ft1-TD-30	Option	30.00	7,400
425-475	DX-BL-LF-50.30x18ft-TD-40	Option	50.30	10,800
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.				

SPECIALIZED SOLUTIONS - ALL MACHINERY TYPES

CONVEYOR BELT SAW



HYDRAULIC TINE FORKS



RECYCLING BALE SQUEEZE



TRASH & BALE GRAPPLE RAKES



THE BALDERSON FAMILY LEGACY

More than a Century of Commitment

What's in a name? Sometimes not much. Often everything. Dymax was born amidst the values and beliefs of the Balderson family. It's a name that has long stood for quality, integrity and service.

We've been working with iron and steel for more than 135 years. In the early days it was as simple as repairing wagons, shodding horses and performing basic blacksmithing tasks in and around the small community of Wamego, Kansas. As time evolved, so did machines and so did we. Yet one thing remained the same – our family tradition of providing the highest quality, best engineered solutions to meet customers' needs. We stand behind what we build and always drive toward building it even better. The world has changed since Seth Balderson opened his blacksmith shop in 1875, yet our family creed remains intact:

WE TREAT EVERY CUSTOMER AS IF THEY WERE OUR ONLY CUSTOMER!



WWW.DYMAXINC.COM

402 MILLER DRIVE | PO BOX 297 | WAMEGO, KS | 66547 | USA
US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | FAX: 1-785-456-8328

DYMAX **SPECIALIZED ATTACHMENTS**



GENERAL CONSTRUCTION PRODUCTS

- **LOADER BUCKETS**
- **BLADES & PLOWS**
- **QUICK COUPLERS**
- **FORKS**
- **EXCAVATOR BUCKETS**
- **RAKES & GRAPPLES**

1-800-530-5407 / 785-456-2081

www.DYMAXINC.com



GENERAL CONSTRUCTION ATTACHMENTS

LOADER BUCKETS

GENERAL PURPOSE BUCKETS

Excellent for all-type applications. Matched for loading dirt, sand, aggregates and other materials.

Models: DX-BK-GPF-WL - Flat Floor

DX-BK-GPW-WL - Wedge Floor

Hookup: Pin on or coupler hooks.

G.E.T.: Bolt-on cutting edges, teeth or segments.



SKELETON TINE BUCKETS

Sift out unwanted materials.

Models: DX-BK-SR-WL

Spacing: 4in-12in

Hookup: Pin on or coupler hooks.

G.E.T.: Bolt-on cutting edges, teeth or segments.



GRAPPLE BUCKETS

Load trash, waste, construction and demolition debris.

Models: DX-BK-GL-WL

Sizes: 1.00yd³ to 15.00³

Hookup: Pin on or coupler hooks.

Side Plates: Standard or bolt-on, removable.

G.E.T.: Bolt-on cutting edges, rubber edges, teeth and segment options.



SIDE DUMP BUCKETS

Ideal for diverse applications such as tunnel construction, building levees, filling trenches and demolition of asphalt roadways. Dumps forward and to the side. Available in right or left sided dump.

Models: DX-BK-SDR-WL, DX-BK-SDL-WL

Sizes: 1.00yd³ to 6.00yd³

Hookup: Pin on or coupler hooks.

G.E.T.: Bolt-on cutting edges, teeth and segments.



4-in-1 MULTIPURPOSE BUCKETS

Dig, doze, grab and load.

Models: DX-BK-MP-WL, DX-BK-MPRF-WL

Sizes: 1.50yd³ to 5.00yd³

Hookup: Pin on or coupler hooks.

G.E.T.: Bolt-on cutting edges, teeth and segments, rear clam bolt-on edge option.



GENERAL CONSTRUCTION ATTACHMENTS

BLADES & SNOW PLOWS - WHEEL LOADER / BACKHOE

HD HYDRAULIC ANGLE BLADES

Rocky Mountain Tough

Model: DX-BL-HAO-WL or BL

Lengths: 10-22 feet

A-Frame: Lower trunnion oscillating style with slotted and fixed pin retainers.

Shoes: Round screw adjustable or shim adjustable wear plates.

Edges: Caterpillar or standard heat treated 6" center punched edge. Specialized serrated edges available for ice conditions.



TRIP EDGE SNOW PLOWS

Heavy duty construction with spring trip edge.

Model: DX-BL-TPE-WL or BL

Lengths: 10-22 feet

A-Frame: Lower trunnion oscillating style with slotted and fixed pin retainers.

Shoes: Round screw adjustable or shim adjustable wear plates.

Edges: Caterpillar or standard heat treated 6" center punched edge. Specialized serrated edges available for ice conditions.



U-WING HYDRAULIC ANGLING BLADE

Multipurpose design excellent for pushing corn and stockpiled materials into conveyors or can be used for snow removal and road maintenance.


Model: DX-BL-HAO-U-WL

Lengths: 12-22 feet

A-Frame: Lower trunnion oscillating style with slotted and fixed pin retainers.

Shoes: Round screw adjustable.

Edges: Caterpillar or standard heat treated 6" center punched edge. Specialized serrated edges available for ice conditions.



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DymaxINC.com

GENERAL CONSTRUCTION ATTACHMENTS

QUICK COUPLER SYSTEMS - WHEEL, TRACK & BACKHOE LOADER



BUILT TOUGH AND DEPENDABLE

Dymax quick couplers are built to withstand tough applications and are available to fit many loader brands.

- Balderson HPL or Wedgelock
- JRB 416, 418 and 420 series subject to brand
- Volvo/ISO
- Rybind HPL or Wedgelock
- Custom solutions

5TH WHEEL COUPLER - FOR WHEEL LOADERS



Excellent for unloading or relocating trailers around yards and terminals.



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

GENERAL CONSTRUCTION ATTACHMENTS

PALLET FORKS



HYDRAULIC ADJUSTABLE TINE FORKS - WHEEL LOADER

Easily adjust your tines from the seat of the cab.

Model: DX-FK-PTHT-WL or BL

Hookup: Pin on or coupler hookup.

Tine Lengths: 48 to 120 inches

Tines are set up and move on path of least resistance.

Capacities: 5,500-120,000 lbs @ 24in load centers.


Carriages: 60-120 inches wide



PALLET FORKS - SHAFT MOUNT



SIDE SHIFT + HYDRAULIC TINE



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

GENERAL CONSTRUCTION ATTACHMENTS

EXCAVATOR BUCKETS

HD GENERAL PURPOSE BUCKETS & MASS EXCAVATION - EXCAVATORS 20T-120T



For general duty work and mass excavation applications such as reclamation.

Model Codes: DX-BK-GP-HX / DX-BK-ME-HX

G.E.T.: Cat or Esco wear parts

Moldboard: T1 steel

Wear Plating: T1 bottom horizontal wear plates, side wear plates.

Shrouds: Lower replaceable side shrouds or bolt-on side cutters.

SEVERE DUTY ROCK BUCKETS - EXCAVATORS 20T-190T



For harsh to severe applications.

Model Code: DX-BK-GPXD-HX

G.E.T.: Cat or Esco wear parts

Moldboard: T1 steel

Wear Plating: AR400 bottom horizontal wear plates, side wear plates.

Shrouds: Weld-on cast heel shrouds + two replaceable side bar shrouds.

AQUATIC

HYDRAULIC TILT



DITCHING



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMEXINC.com

GENERAL CONSTRUCTION ATTACHMENTS

RAKES AND GRAPPLES - LOADERS, EXCAVATORS & BACKHOES

RAKES - EXCAVATORS AND LOADERS

GRIZZLY GRAPPLE RAKE



MODEL
DX-RK-GRZ

LOADER RAKE FULL GRAPPLE



MODEL
DX-RK-LRFG

EXCAVATOR RAKE



MODEL
DX-RK-HX

REFUSE GRAPPLE RAKE



MODEL
DX-RK-RFSM
DX-RK-RFDG



ROTATION GRAPPLES - EXCAVATORS 5T-36T & BACKHOES

C&D GRAPPLE



MODEL
DX-GL-CDBW-360

MULTI-APPLICATION



MODEL
DX-GL-MA-360

BASKET TINE



MODEL
DX-GL-BSKT-HX

LOGGING BYPASS



MODEL
DX-GL-LG-HX
DX-GL-LGPG-HX
DX-GL-LGCP-HX

FORESTRY HD



MODEL
DX-GL-FYHD-HX

STILL BUILT LIKE GRANDPA TAUGHT US
A Balderson family tradition since 1930



THE BALDERSON FAMILY LEGACY

More than a Century of Commitment

What's in a name? Sometimes not much. Often everything. Dymax was born amidst the values and beliefs of the Balderson family. It's a name that has long stood for quality, integrity and service.

We've been working with iron and steel for more than 135 years. In the early days it was as simple as repairing wagons, shodding horses and performing basic blacksmithing tasks in and around the small community of Wamego, Kansas. As time evolved, so did machines and so did we. Yet one thing remained the same – our family tradition of providing the highest quality, best engineered solutions to meet customers' needs. We stand behind what we build and always drive toward building it even better. The world has changed since Seth Balderson opened his blacksmith shop in 1875, yet our family creed remains intact:


WE TREAT EVERY CUSTOMER AS IF THEY WERE OUR ONLY CUSTOMER!



WWW.DYMAXINC.COM

402 MILLER DRIVE | PO BOX 297 | WAMEGO, KS | 66547 | USA
US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | FAX: 1-785-456-8328

DYMAX **SPECIALIZED ATTACHMENTS**



MATERIAL HANDLING **FOR LOADERS AND EXCAVATORS**

- **PIPE & POLE GRAPPLE FORKS**
- **SPECIALTY & PALLET FORKS**
- **GRAPPLES**
- **SPECIALTY BUCKETS**

1-800-530-5407 / 785-456-2081

www.DYMAXINC.com



MATERIAL HANDLING ATTACHMENTS

WHEEL LOADER FORKS

**LOAD
SECURED**

PIPE & POLE GRAPPLE FORKS - WHEEL LOADER

Dymax Pipe and Pole Forks with stabilizer clamps are ideal for handling oil field pipe and transmission line poles, whether steel or wood. They feature bolt-on replaceable padding that prevents damage and ensures a tight and safe grip with all materials.

Machine Operating Weight (lbs)	Tine Options Lengths; Tine Size & Capacity Rated @ 24" Load Centers	Clamp Type	Carriage Widths (inches)
Backhoe Loader	60, 72; 2.0 x 6.0 @ 12,600lbs	Slider	72, 84
32,000-38,000	60, 72; 3.0 x 6.0 @ 28,400lbs	Dual	72, 84
40,000-47,000	72, 84; 3.0 x 7.0 @ 34,200lbs	Dual	84, 90, 96
48,000-56,000	84, 96; 3.0 x 8.0 @ 37,000lbs	Dual	90, 96
66,000-80,000	96; 3.50 x 8.0 @ 54,600lbs	Dual	112
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.			



DUAL CLAMPS



**SLIDER CLAMPS
BACKHOE LOADER**

MATERIAL HANDLING ATTACHMENTS

DEMAND DYMAX FOR DURABILITY

SPECIALTY FORKS WITH CLAMPS - WHEEL LOADER



**LOG & LUMBER FORK
WITH DUAL CLAMPS**
WHEEL LOADER



**LOG & LUMBER FORK
WITH MILLYARD CLAMP**
WHEEL LOADER



MILLYARD FORK
WHEEL LOADER



**SORTING
FORK**

MATERIAL HANDLING ATTACHMENTS

WHEEL LOADER FORKS

PALLET FORKS SHAFT MOUNTED - NON SWING TINES



PALLET FORKS WITH HYDRAULIC TINES - WHEEL LOADER



Machine Operating Weight (lbs)	Tine Options Lengths; Tine Size & Capacity Rated @ 24" Load Centers	Carriage Widths (inches)
20,000-24,000	60, 72; 2.0 x 6.0 @ 12,600lbs	60, 72, 84
26,000-31,500	60, 72, 84; 2.5 x 6.0 @ 21,400lbs	60, 72, 84, 96
32,000-38,000	60, 72, 84; 3.0 x 6.0 @ 28,400lbs	60, 72, 84, 96
40,000-47,000	72, 84, 96; 3.0 x 7.0 @ 34,200lbs	72, 84, 96, 108
48,000-56,000	72, 84, 96; 3.0 x 8.0 @ 37,000lbs	96, 108, 120
Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.		




US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DymaxINC.com

MATERIAL HANDLING ATTACHMENTS

DEMAND DYMAX FOR DURABILITY

PALLET FORKS WITH SIDE SHIFT CARRIAGE - WHEEL LOADER




Machine Operating Weight (lbs)	Tine Options Lengths; Tine Size & Capacity Rated @ 24" Load Centers	Carriage Widths (inches)
26,000-31,500	60, 72; 2.5 x 6.0 @ 21,400lbs	84, 96
32,000-38,000	72, 84; 3.0 x 6.0 @ 28,400lbs	84, 96
40,000-47,000	72, 84, 96; 3.0 x 7.0 @ 34,200lbs	84, 96

Design and specifications are subject to change without notice. Please contact Dymax for custom solutions 1-800-530-5407.



LOG FORKS - NO CLAMP
WHEEL LOADER

HEAVY DUTY HYDRAULIC
ADJUSTABLE TINES
WHEEL LOADER



BLOCK & QUARRY FORKS
WHEEL LOADER

LEGENDARY FORK GURUS



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

MATERIAL HANDLING ATTACHMENTS

DYMAX SPECIALTY GRAPPLES



GET A GRIP
STONE GRAPPLES

6-16T EXCAVATORS

ROTATION GRAPPLES - EXCAVATORS 5T-36T & BACKHOES

C&D GRAPPLE



MODEL
DX-GL-CDBW-360

MULTI-APPLICATION



MODEL
DX-GL-MA-360

BASKET TINE



MODEL
DX-GL-BSKT-HX

LOGGING BYPASS



MODEL
DX-GL-LGPG-HX
DX-GL-LGCP-HX

FORESTRY HD



MODEL
DX-GL-FYHD-HX



US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | sales@DYMAXINC.com

MATERIAL HANDLING ATTACHMENTS

TOP-NOTCH ATTACHMENTS SINCE THE 1930S

C&D GRAPPLES - WHEEL LOADERS



FEATURES

- 180° ROTATION
- 2 OVER 3 BOX WELD TINES
- HEAVY DUTY CYLINDERS
- COUPLER OR PIN ON LUGGING



ORDINANCE & DEMINING Multi-application grapples

GRAB N GRIP BUCKETS - EXCAVATOR



CLAM BUCKETS - EXCAVATOR



STILL BUILT LIKE GRANDPA TAUGHT US
A Balderson family tradition since 1930



THE BALDERSON FAMILY LEGACY

More than a Century of Commitment

What's in a name? Sometimes not much. Often everything. Dymax was born amidst the values and beliefs of the Balderson family. It's a name that has long stood for quality, integrity and service.

We've been working with iron and steel for more than 135 years. In the early days it was as simple as repairing wagons, shodding horses and performing basic blacksmithing tasks in and around the small community of Wamego, Kansas. As time evolved, so did machines and so did we. Yet one thing remained the same – our family tradition of providing the highest quality, best engineered solutions to meet customers' needs. We stand behind what we build and always drive toward building it even better. The world has changed since Seth Balderson opened his blacksmith shop in 1875, yet our family creed remains intact:

WE TREAT EVERY CUSTOMER AS IF THEY WERE OUR ONLY CUSTOMER!



WWW.DYMAXINC.COM

402 MILLER DRIVE | PO BOX 297 | WAMEGO, KS | 66547 | USA
US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | FAX: 1-785-456-8328

Understanding Model Codes

Dymax uses a model code to help identify the specific product, type and size along with the machine type and size. The chart below illustrates how these models are grouped.

MODEL CODE STRUCTURE						
Company Identifier	G1	G2	G3	G4	G5	Full Model Code
DX <i>Dymax</i>	Product Line <i>2-4 characters</i>	Product Type <i>2-4 characters</i>	Product size / capacity & special information <i>10-12 characters</i>	Machine Type <i>2-4 characters</i>	Machine Size <i>2-4 characters</i>	DX-G1-G2-G3-G4-G5
Sample Model Code: Wheel Loader Rollout Bucket						
DX <i>Dymax</i>	BK <i>Bucket</i>	RO <i>Rollout</i>	3.50cyd <i>3.50 cubic yard capacity</i>	WL <i>Wheel Loader</i>	40 <i>Class 40</i>	DX-BK-RO-3.50cyd-WL-40 <i>Bucket - Rollout - 3.50 cubic yard capacity - Wheel Loader - Class 40</i>
Sample Model Code: Ballast Tamper						
DX <i>Dymax</i>	BT <i>Ballast Tamper</i>	DYM21 <i>Series 21</i>	270x1 <i>270 rotation x 1 motor</i>	BL <i>Backhoe Loader</i>	10 <i>Class 10</i>	DX-BT-DYM21-270x1-BL-10 <i>Ballast Tamper - DymaxRail Series 21 - 270 degrees rotation x 1 motor - Backhoe Loader - Class 10</i>

Machine Tables

These tables should help you identify sizes suited for your machine. Not all brands, sizes or models are listed. Please contact Dymax sales for additional options.

TRACK DOZER Size/Class						
Machine / Class	TD-10 TD-10LGP	TD-20 TD-20LGP	TD-30 TD-30LGP	TD-40	TD-50	TD-60
Caterpillar	D6	D7	D8	D9	D10	D11
John Deere	850	950	1050			
Komatsu	65	85	155	D275	D375	D475

WHEEL DOZER Size/Class						
Machine / Class	WD-10	WD-20	WD-30	WD-40	WD-50	WD-60
Caterpillar	816	824	834	844		854
Tiger				590	690	790

WHEEL AND TRACK LOADERS Size/Class										
Machine/Class WL - Wheel, TL - Track	WL-30	WL-40 TL-40	WL-50 TL-50	WL-60 TL-60	WL-70 TL-70	WL-80	WL-90	WL-100	WL-110	WL-120
Case		521	621	721	821	921	1021 1221			
Caterpillar	IT12 IT14 IT18 910 914 918	IT24 920 924 TL933 TL943	926 928 IT28 TL953	930 938 IT38 TL-963	950 962 IT62 TL-973	966 970 972	980 982	986 988	990	992
Doosan			220 250	280	320 380	400 420 480	500 550 580			
Hitachi	ZW80	ZW140 ZW150	ZW180 ZW220	ZW250	ZW310	ZW330 ZW370		ZW550		
Hyundai		930	940	955 960	965	970 975	980			
JCB	409 411		427	437	456 457					
John Deere	324 344	444	524 544 TL655	624 TL755	644 724	744 824	844	944		
Komatsu		WA120 WA180	WA220 WA250 WA270 PT200	WA320	WA380	WA420 WA450 WA470 WA475 WA480	WA500	WA600	WA700	WA800 WA900
Volvo	L35 L40	L45 L50	L60 L70	L90	L110 L120	L150 L180	L260	L350		

BACKHOE LOADER Size/Class		
Machine/Class	BL-10	BL-20
Case	480, 580, 590	
Caterpillar	416, 420, 430, 440	444, 450
JCB	3CX, 4CX	
John Deere	310, 410	710
Volvo	BL60, BL70	

TELEHANDLER Size/Class				
Machine/Class Capacity/Size	TH-06K 6,000 LB	TH-09K 9,000 LB	TH-10K 10,000 LB	TH-12K 12,000 LB
Caterpillar	TL642	TL943	TL1055	TL1255

Not all brands, sizes or models are listed.
Please contact Dymax sales for additional options.

HYDRAULIC EXCAVATORS Size/Class											
Machine/Class (tonnage)	HX-3T HX-4T	HX-5T HX-6T	HX-8T HX-10T HX-11T	HX-12T HX-13T HX-14T	HX-15T HX-16T HX-18T	HX-20T HX-23T	HX-25T HX-29T	HX-30T HX-36T	HX-45T HX-49T	HX-65T	HX-75T HX-85T HX-90T
Caterpillar	303 304	305 306	308 309 310	312 313 314 M314	315 316 317 M316 M318	320 323 M320 M322	325 329	335 336	345 349	365	374 385 390
Hitachi	35	50	75 85	130 135	160	190 210 220	245 250	300 345	490	690	890
JCB	35 40 45	55 65	85 110W	141	150 160	220 245	260		460		
John Deere	35	60	85	130 135	160	190 200 210	245 250	300 345 350 380	470	670	870
Komatsu	PC35	PC55	PC78 PC88			PC210 PC238	PC240 PC290	PC300 PC308 PC360 PC390	PC490	PC650	PC800
Volvo	EC38	EC40 EC48 EC58 EC60	EC88	EC140 EC145 EW130	EW150 EW180 EC160	EW220 EC220	EC235 EC250	EC300 EC340 EC350 EC380	EC480		EC750 EC950

MOTOR GRADER Size/Class			
Machine/Class	MG-10	MG-20	MG-30
Case	856, 865		
Caterpillar	120, 140, 143	18	24
John Deere	670, 672 770, 772	870, 872	
Komatsu	GD655, GD675		
Volvo	G930, G940		


Not all brands, sizes or models are listed.
Please contact Dymax sales for additional options.

Material Weights

Dymax products are matched to the application for better performance. This table will help you identify the material weight in order to choose the size / capacity for your application and machine.

MATERIAL	Weight (lbs) per cubic yard
Almond Hulls	528
Compost	1,350
Corn	1,215
Corn - Flaked	700
Cottonseed Hulls	324
Distillers Grain Modified	1,700
Distillers Grain (Wet)	1,777
Distillers Grain Spent (Dry)	810
Earth-Loam (Dry)	2,106
Fertilizer	1,890
Fly Ash (Loose & Dry)	1,500
Gypsum (Powder)	2,700
Lime (Ag)	1,736
Lime (Dust)	2,565
Manure - Cattle	1,628
Manure - Cattle (Dry)	1,485
Manure - Dried Sheep and Cattle	656
Manure - Horse	1,252
Manure - Poultry (Heavy)	891
Manure - Poultry (Light)	729

MATERIAL	Weight (lbs) per cubic yard
Mulch (Heavy)	800
Mulch (Light)	400
Mulch (Mid)	600
Rice Hulls	567
Salt	2,160
Sand	2,865
Silage	500
Silage (Heavy)	1,100
Soybean Meal	1,080
Soybeans	1,300
Wheat	1,300
Woodchips	680



WWW.DYMAXINC.COM
WWW.DYMAXRAIL.COM

402 MILLER DRIVE | PO BOX 297 | WAMEGO, KS | 66547 | USA
US: 1-800-530-5407 | WORLDWIDE: 1-785-456-2081 | FAX: 1-785-456-8328